



QTY ITEM# PART# PART TITLE RBW0000X00131A181A-3G-2 SX REAR PLATE ASSY -2 1 -5 2 RBW0000X00131A181A-3G-5 FOAM 1 RBW0000X00131A181A-3G-6 DX REAR STICKER -6 1 RB41011 DART PLACARD 19 1 McMaster#90081A074 OR EQUIV 20 4 ZINC PLATED STEEL SCREW NAILS SIZE #2 X 1/8" LG. 21 1 McMaster#8494T18 OR EQUIV BLACK OXIDE STEEL SHACKLE WITH SCREW PIN 7/8" DIA. LIFTING CAPACITY 9 500 LBS

7





DESIGN DART AEROSPACE LTD VM DRAWN HAWKESBURY, ONTARIO, CANADA VM TOOL PART # **CHECKED** KPT REV. A RBW0000X00131A181A-3G MFG. APPR. SHEET 2 OF 19 **APPROVED** SCALE \bigcirc AFT SHIPPING BRACKET NTS

2

8) APPLY INSTANT ADHESIVE LOCTITE 495 BETWEEN THE SURFACES OF ITEM -6 AND ITEM -2 IF NECESSARY, AND REMOVE EXCESS 9) ASSEMBLE ITEM -6 ADHESIVE SIDE ON ITEM -2 AS SHOWN, AND CUT EXCESS IF NECESSARY

DATE 2019-06-12

COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

7) ASSEMBLE AS SHOWN

4) TOLERANCES: X.X = +/- 0.1" / +/- 1°

X.XX = +/-0.01" / +/-0.5°

X.XXX = +/-0.005" / +/-0.1°

X.XXXX = +/-0.0005" / +/-0.05°

PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"

5) UNITS: INCHES UNLESS OTHERWISE NOTED 6) IDENTIFICATION: ENGRAVE THE TOOL P/N, S/N, AND "SWL: 9 500 LBS" ON THE DART PLACARD WHERE INDICATED

10) THE TOOL ASSY MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG

5

3 PART# PART TITLE ITEM# QTY RBW0000X00131A181A-3G-3 PLATE 1 -3 1 RBW0000X00131A181A-3G-4 **BRACKET 1** -4 19.63 REF 9.56 2.00 REF 3/8 SYM RBW0000X00131A181A-3G-2 SX REAR PLATE ASSY 1) MATERIAL: N/A
2) HEAT TREAT: N/A
3) FINISH: POWDERCOAT YELLOW QSI 005 OR MIL-PRF-24712 DESIGN DART AEROSPACE LTD VM 4) TOLERANCES: X.X = +/- 0.1" / +/- 1° DRAWN HAWKESBURY, ONTARIO, CANADA VM X.XX = +/-0.01" / +/-0.5° CHECKED TOOL PART # KPT REV. A RBW0000X00131A181A-3G MFG. APPR. SHEET 3 OF 19 TITLE APPROVED 5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) IDENTIFICATION: N/A
7) ASSEMBLE AS SHOWN
8) REMOVE ALL WELD SPATTERS SCALE AFT SHIPPING BRACKET NTS DATE 2019-06-12 COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

ð

D

7


5


4


3

2

MISSION FROM DART AEROSPACE LTD.








D D 5.39 REF 10X00131A181A-3 С 1.03 REF RBW0000X00131A181A-3G-6 DX REAR STICKER 7 1) MATERIAL: 3M 7 MIL MASKING FILM #8522CP OR AVERY IPM #2031 OR EQUIV. 2) HEAT TREAT: N/A DESIGN **DART AEROSPACE LTD** VM 3) FINISH: N/A DRAWN HAWKESBURY, ONTARIO, CANADA VM 4) TOLERANCES: X.X = +/- 0.1" / +/- 1° X.XX = +/- 0.01" / +/- 0.5° X.XXX = +/- 0.005" / +/- 0.1° X.XXXX = +/- 0.0005" / +/- 0.05° TOOL PART # CHECKED KPT REV. A RBW0000X00131A181A-3G MFG. APPR SHEET 7 OF 19 **APPROVED** PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005" SCALE [NTS 🗀 **AFT SHIPPING BRACKET** 5) UNITS: INCHES UNLESS OTHERWISE NOTED 6) IDENTIFICATION: N/A DATE 2019-06-12 COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. 7) ALL NON-DIMENSIONED FEATURES MUST MAINTAIN A TOLERANCE OF +/- 0.050" PER CAD FILE RBW0000X00131A181A-3G-6 REV. A.DXF 8 7 5 3

5

2



-

-

-


5

4

3

2

THEN FERMISSION FROM DART AEROSPAGE LID.



3 ITEM# QTY PART# PART TITLE -10 RBW0000X00131A181A-3G-10 SX FRONT PLATE ASSY -14 4 RBW0000X00131A181A-3G-14 **CUSHION** RBW0000X00131A181A-3G-15 SX FRONT STICKER -15 25 1 RB41011 DART PLACARD McMaster#90081A074 OR EQUIV ZINC PLATED STEEL SCREW NAILS SIZE #2 X 1/8" LG. 26 4 27 McMaster#8494T18 OR EQUIV BLACK OXIDE STEEL SHACKLE WITH SCREW PIN 7/8" DIA. LIFTING CAPACITY 9 500 LBS Seriely to the low order of the last of the low order \bigcirc

> RBW0000X00131A181A-3G-9 SX FRONT ASSY 10

NOTES:

1) MATERIAL: N/A 2) HEAT TREAT: N/A

3) FINISH:

4) TOLERANCES: X.X = +/- 0.1" / +/- 1°

X.XX = +/- 0.01" / +/- 0.5° X.XXX = +/- 0.005" / +/- 0.1° X.XXXX = +/-0.0005" / +/-0.05°

PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED

6) IDENTIFICATION: ENGRAVE THE TOOL P/N, S/N, AND "SWL: 9 500 LBS" ON THE DART PLACARD WHERE INDICATED

7) ASSEMBLE AS SHOWN

8) APPLY INSTANT ADHESIVE LOCTITE 495 BETWEEN THE SURFACES OF ITEM -14 AND ITEM -10 IF NECESSARY, AND REMOVE EXCESS 9) ASSEMBLE ITEM -14 ADHESIVE SIDE ON ITEM -10 AS SHOWN, AND CUT EXCESS IF NECESSARY

10) THE TOOL ASSY MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG

DESIGN	VM
DRAWN	VM
CHECKED	KPT
MFG. APPR.	DP %
APPROVED	12

DATE 2019-06-12


DART AEROSPACE HAWKESBURY, ONTARIO, CAN		
TOOL PART # RBW0000X00131A181A-3G	REV. A SHEET 10 OF 19	
TITLE AFT SHIPPING BRACKET	SCALE NTS	D
COPYRIGHT © 2019 BY DART AEROSPAC	E LTD	


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


25


5


3













D 5.75 0X00131A181A-3G 1.03 REF RBW0000X00131A181A-3G-15 SX FRONT STICKER 7 1) MATERIAL: 3M 7 MIL MASKING FILM #8522CP OR AVERY IPM #2031 OR EQUIV. 2) HEAT TREAT: N/A DESIGN DART AEROSPACE LTD VM 3) FINISH: N/A DRAWN HAWKESBURY, ONTARIO, CANADA VM 4) TOLERANCES: X.X = +/- 0.1" / +/- 1° TOOL PART # X.XX = +/- 0.01" / +/- 0.5° X.XXX = +/- 0.005" / +/- 0.1° CHECKED KPT REV. A RBW0000X00131A181A-3G MFG. APPR **SHEET 16 OF 19** X.XXXX = +/-0.0005" / +/-0.05° **APPROVED** SCALE PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005" NTS 🗀 🏵 **AFT SHIPPING BRACKET** 5) UNITS: INCHES UNLESS OTHÉRWISE NOTED 6) IDENTIFICATION: N/A DATE 2019-06-12 COPYRIGHT © 2019 BY DART AEROSPACE LTD 7) ALL NON-DIMENSIONED FEATURES MUST MAINTAIN A TOLERANCE OF +/- 0.050" PER CAD FILE RBW0000X00131A181A-3G-15 REV. A.DXF THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT 3 2

QTY ITEM# PART# PART TITLE RBW0000X00131A181A-3G-14 CUSHION -14 4 -17 RBW0000X00131A181A-3G-17 DX FRONT PLATE ASSY RBW0000X00131A181A-3G-18 -18 1 DX FRONT STICKER 28 RB41011 DART PLACARD McMaster#90081A074 OR EQUIV 29 4 ZINC PLATED STEEL SCREW NAILS SIZE #2 X 1/8" LG.



5

BLACK OXIDE STEEL SHACKLE WITH SCREW PIN 7/8" DIA. LIFTING CAPACITY 9 500 LBS



NOTES:

30

1

McMaster#8494T18 OR EQUIV

1) MATERIAL: N/A

2) HEAT TREAT: N/A

3) FINISH:

4) TOLERANCES: X.X = +/- 0.1" / +/- 1°

X.XX = +/-0.01" / +/-0.5° X.XXX = +/-0.005" / +/-0.1° X.XXXX = +/-0.0005" / +/-0.05°

PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005" 5) UNITS: INCHES UNLESS OTHERWISE NOTED

6) IDENTIFICATION: ENGRAVE THE TOOL P/N, S/N, AND "SWL: 9 500 LBS" ON THE DART PLACARD WHERE INDICATED

7) ASSEMBLE AS SHOWN

8) APPLY INSTANT ADHESIVE LOCTITE 495 BETWEEN THE SURFACES OF ITEM -14 AND ITEM -17 IF NECESSARY, AND REMOVE EXCESS 9) ASSEMBLE ITEM -14 ADHESIVE SIDE ON ITEM -17 AS SHOWN, AND CUT EXCESS IF NECESSARY

10) THE TOOL ASSY MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG

DESIGN		VM
DRAWN		VM
CHECKE	D	KPT
MFG. AP	PR.	DP
APPROV	ΈD	WH
	**************************************)-06-12


3

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
TOOL PART # RBW0000X00131A181A-3G	SHEE	REV. A		
TITLE AFT SHIPPING BRACKET	SCALE NTS	□ ⊕		

COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

2

5



D D 5.78 REF С)00X00131A181A-3(1.03 REF RBW0000X00131A181A-3G-18 DX FRONT STICKER 7 1) MATERIAL: 3M 7 MIL MASKING FILM #8522CP OR AVERY IPM #2031 OR EQUIV. 2) HEAT TREAT: N/A DESIGN **DART AEROSPACE LTD** VM 3) FINISH: N/A DRAWN HAWKESBURY, ONTARIO, CANADA VM 4) TOLERANCES: X.X = +/- 0.1" / +/- 1° TOOL PART# CHECKED X.XX = +/-0.01" / +/-0.5° KPT REV. A X.XXX = +/- 0.005" / +/- 0.1° X.XXXX = +/- 0.0005" / +/- 0.05° RBW0000X00131A181A-3G MFG. APPR. SHEET 19 OF 19 **APPROVED** SCALE PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005' AFT SHIPPING BRACKET 5) UNITS: INCHES UNLESS OTHERWISE NOTED 6) IDENTIFICATION: N/A NTS DATE 2019-06-12 COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. 7) ALL NON-DIMENSIONED FEATURES MUST MAINTAIN A TOLERANCE OF +/- 0.050" PER CAD FILE RBW0000X00131A181A-3G-18 REV. A.DXF 8 5 3 2

7

6

5